




# PRODUCT GUIDE

MAY 2023



**AUSTRALIA'S #1 LADDER BRAND**  
**BAILEYLADDERS.COM.AU**



# THE PUNCHLOCK® ADVANTAGE

## AUSTRALIA'S #1 LADDER BRAND

Bailey's Professional range of ladders are manufactured using our Punchlock® construction technology. Combined with our unique double hollow tread design, this gives the distinct advantages of strength, stiffness and durability unmatched by riveted ladders.



### **PUNCHLOCK®** SUPER STRONG

- 66% stronger than conventional riveted type ladders
- Increased strength and durability



### **DOUBLE HOLLOW TREAD**

#### **TWIST RESISTANT**

- Increased rigidity and stiffness in the ladder frame
- Reduces ladder twisting



### **TRI-BRACING** SUPER STABLE

- Strongest support between tread and stile
- Eliminates catch points



### **LIGHTWEIGHT DESIGN** SUPER LIGHT

- Industrial strength and safety with a lightweight advantage
- Reduces strain and fatigue

All these distinct advantages are engineered into our Professional range of Aluminium and Fibreglass ladders.

**DISCOVER THE ADVANTAGE YOURSELF - INVEST IN  
OUR SUPERIOR PROFESSIONAL RANGE OF LADDERS  
THAT WILL GIVE YOU YEARS OF SERVICE.**



# BAILEY PRODUCT GUIDE 2023

## CONTENTS

### Choosing The Right Ladder



### Load/Duty Ratings & Ladder Safety



### Single Side Leaning & Double Sided Stepladders



A general purpose stepladder accessed from a single side only or both sides, on a double sided stepladder.

### Multi-Purpose Ladders



Highly versatile – can be used as a stepladder and a straight ladder with adjustable heights, or separated into two low-level trestles.

### SLS 3 IN 1 Ladders



A revolutionary new design of ladder that can be used as Step Ladder, a Leaning Ladder or a Straight Ladder.

### Dual Purpose & Step Extension Ladders



Highly versatile (2 in 1) – converts from a stepladder to a straight ladder.

### Extension & Single Ladders



Designed for height access for builders, carpenters, plumbers and serious DIY. Fixed length or height adjustable.

### Platform Stepladders



Provides a safe work platform when working at heights. Can be closed for storage.

### Safety Steps



A compact access solution where storage space is at a premium.

### Attic Ladders



Lightweight, aluminium ladders designed to access roof spaces.

### Order Pickers & Access Platforms



Used for moderate/frequent use stock picking applications.

### Modular Access/ Platform Systems



A versatile platform system that can be configured to your requirements up to a platform height of 1.65m.

# CHOOSING THE RIGHT LADDER

## STEP 1 - LADDER SIZE

Choose the correct size of ladder for the job

• 1m = 3 feet approximately

STEPLADDERS		EXTENSION LADDERS		PLATFORMS	
Ladder Size	Max. Reach Height	Ladder Size	Max. Reach Height	Platform Size	Max. Reach Height
2	2.0m	8	5.0m	2	2.6m
3	2.3m	10	6.2m	3	2.9m
4	2.6m	12	7.4m	4	3.2m
5	2.9m	14	8.9m	5	3.5m
6	3.2m	15	9.5m	6	3.75m
7	3.5m	16	10.1m	7	4.0m
8	3.8m	17	10.7m	8	4.3m
10	4.4m	18	11.6m	10	4.9m
12	5.0m	20	12.2m	12	5.5m

## STEP 2 - LADDER TYPE

Choose the correct type of ladder for the job



Step Stool



Platform Stepladder



Single Sided Stepladder



Double Sided Stepladder



Multi & Dual-Purpose Ladders



Single & Extension Ladder



Order Picker & Access Platform




Modular Access Systems

## STEP 3 - LADDER MATERIAL

Choose the right construction




**Aluminium:**  
Lightweight



**Fibreglass:**  
Electro - Safe™  
(non-conductive)

## STEP 4 - LOAD/DUTY RATING

Choose a suitable load and duty rating



**Load Rating:** The maximum load including the weight of the user, materials and tools that the ladder is intended to carry.

**Duty Rating:** The rating assigned to a ladder, ie. industrial or domestic, which indicates the service capability of the ladder.

5.1m

GUTTERS	
Single Storey	
2.4m	2.7m
Double Storey	
5.1m	5.7m

EXTERIOR WALLS	
Windows	
2.4m	2.7m

2.7m

CEILING	
Light Fittings	
2.4m	2.7m

INTERIOR WALLS	
Wall Hangings	
2.4m	2.7m







# LOAD/ DUTY RATINGS IN DETAIL AND LADDER SAFETY

## What is a 'load rating'?

The maximum safe working load of the ladder, including the weight of the user tools/equipment and materials they are carrying.

Exceeding the safe working load is dangerous and voids warranties. A minimum load rating of 120kg must be used in all 'workplaces'.

## What is a 'duty rating'?

The duty rating is assigned by the manufacturer based on the product's design parameters.

There are two duty ratings: Domestic and Industrial. Only ladders with an 'Industrial' duty rating can be used in any workplace.

## Ratings Explained

**DOMESTIC 100KG**

### DOMESTIC

For domestic use in and around the home e.g. cleaning, cupboard access. Must not be used in a workplace. Made to the requirements of Australian Standards AS1892

**INDUSTRIAL 135KG**

**INDUSTRIAL 120KG**

### INDUSTRIAL

For moderate industrial use. An industrial grade of ladder for trade or serious DIY/handyman. Made to the requirements of Australian Standards AS1892

**INDUSTRIAL 200KG**

**INDUSTRIAL 170KG**

**INDUSTRIAL 160KG**

**INDUSTRIAL 150KG**

**INDUSTRIAL 140KG**

### INDUSTRIAL - HEAVY DUTY - PROFESSIONAL

For heavy duty industrial trade/commercial use by professional contractors, tradespersons, workplaces, serious DIY/handyman. Made to the requirements of Australian Standards AS1892

## Ladder Safety and General Principles

- Ladders must be handled with care at all times.
- Observe the manufacturer's warnings and instructions.
- Observe closely the area in which you wish to position the ladder and assess for risks (e.g. open door ways, overhead power lines, uneven ground).
- Where a risk is present, remove (or reduce to an acceptable level) the risk, or seek an alternative safe means of access.
- Ladders are designed and built for a specific use. Read the warning labels and never use a ladder that is not recommended by the manufacturer.
- Choose the right type of ladder and the correct height for the task at hand.
- Always inspect the ladder for damage prior to use.
- NEVER USE A LADDER THAT HAS BEEN DAMAGED OR HAS MISSING PARTS.
- Ensure the ladder is free from dirt, water and grease prior to use paying particular attention to the treads/ rungs.
- When using a ladder near a door way, block/lock the door and/or post a guard.
- Do not leave ladders unattended while they are erected in case of children climbing.
- Always wear fully enclosed footwear with slip resistant soles.
- Avoid using ladders in very wet or windy conditions.
- Never use a ladder if you are impaired by drugs, alcohol or sickness.



# SINGLE SIDED LEANING & DOUBLE SIDED STEPLADDERS







Multi-function top cap



Multi-function top cap

## PROFESSIONAL PUNCHLOCK® SINGLE SIDED LEANING STEPLADDER

**ALUMINIUM** LIGHTWEIGHT **INDUSTRIAL** **150KG**

The Bailey Pro Punchlock® aluminium single sided leaning stepladder gets you close to the work surface improving job site safety and productivity.

- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- Unique top cap allows the ladder to be safely used as a leaning ladder
- The multi-function top cap provides storage for tools
- Anti-slip PVC boots for added stability
- Light weight and strong aluminium construction
- Flat plate tri-bracing increases strength and stability
- Made to Australian Standards AS1892



Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13957	Pro AL Single Sided Leaning 6 150kg	1.79m	3.19m	9312097064805	8.2kg
FS13959	Pro AL Single Sided Leaning 8 150kg	2.39m	3.79m	9312097064829	10.9kg

**Spare Parts**

SPI5-020AZ Feet Kit

## PROFESSIONAL PUNCHLOCK® SINGLE SIDED LEANING STEPLADDER

**FIBREGLASS** ELECTRO-SAFE™ **INDUSTRIAL** **150KG**

The Bailey Pro Punchlock® fibreglass single sided leaning stepladder gets you close to the work surface improving job site safety and productivity.

- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- Unique top cap allows the ladder to be safely used as a leaning ladder
- Anti-slip PVC boots for added stability
- Flat plate tri-bracing increases strength and stability
- Made to Australian Standards AS1892



Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13972	Pro FG Single Sided Leaning 6 150kg	1.79m	3.19m	9312097064959	10.5kg
FS13973	Pro FG Single Sided Leaning 7 150kg	2.09m	3.49m	9312097064966	12.0kg
FS13974	Pro FG Single Sided Leaning 8 150kg	2.39m	3.79m	9312097064973	13.8kg
FS13975	Pro FG Single Sided Leaning 10 150kg	2.99m	4.39m	9312097064980	17.1kg
FS13976	Pro FG Single Sided Leaning 12 150kg	3.59m	4.99m	9312097064997	20.9kg

**Spare Parts**

SPI5-022AZ Feet Kit





## TRADE RIVETED DOUBLE SIDED STEPLADDER

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**

**150KG**

- Riveted construction
- Industrial Duty Rated. Designed for use on industrial work sites where strength, durability and safety is required
- 150kg load rating
- Heavy duty extruded aluminium construction
- Internal arm system provides extra stability and resistance to ladder-walk
- Anti-slip feet for maximum grip on any surface for added safety and stability
- Made to Australian Standards AS1892

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13428	TRADE AL DS 3 150kg	0.9m (3')	2.3m	9312097055629	5.9kg
FS13429	TRADE AL DS 4 150kg	1.2m (4')	2.6m	9312097055636	6.6kg
FS13430	TRADE AL DS 6 150kg	1.8m (6')	3.2m	9312097055643	9.6kg
FS13431	TRADE AL DS 8 150kg	2.4m (8')	3.8m	9312097055650	12.8kg

**Spare Parts**

SPI5-026AZ Feet Kit



## PROFESSIONAL PUNCHLOCK® BIG TOP DOUBLE SIDED STEPLADDER

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**

**150KG**

The Bailey Pro Punchlock® Big Top double sided stepladder has an extra wide top cap and base for improved stability and safety

- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- The extra wide multi-function top cap provides storage for tools, improving work site safety and productivity
- Anti-slip PVC boots for added stability
- Double sided design for greater versatility and load bearing strength
- Light weight and strong aluminium construction
- Flat plate tri-bracing increases strength and stability
- Made to Australian Standards AS1892



Multi-function top cap

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13966	Pro AL Double Sided Big Top 3 150kg	0.89m	2.29m	9312097064898	6.1kg
FS13967	Pro AL Double Sided Big Top 4 150kg	1.19m	2.59m	9312097064904	7.5kg

**Spare Parts**

SPI5-021AZ Feet Kit





Multi-function top cap

# PROFESSIONAL PUNCHLOCK® DOUBLE SIDED STEPLADDER

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**

**150KG**

The Bailey Pro Punchlock® aluminium double sided stepladder multi-function top cap has a paint tin and tool holder for improved work site safety and productivity.

- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- The multi-function top cap provides storage for paint cans and tools improving work site safety and productivity
- Anti-slip PVC boots for added stability
- Double sided design for greater versatility and load bearing strength
- Light weight and strong aluminium construction
- Flat plate tri-bracing increases strength and stability
- Made to Australian Standards AS1892



Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13960	Pro AL Double Sided 3 150kg	0.89m	2.29m	9312097064836	5.6kg
FS13961	Pro AL Double Sided 4 150kg	1.19m	2.59m	9312097064843	6.9kg
FS13963	Pro AL Double Sided 6 150kg	1.79m	3.19m	9312097064867	9.8kg
FS13965	Pro AL Double Sided 8 150kg	2.39m	3.79m	9312097064881	13.7kg

**Spare Parts**

SPI5-021AZ Feet Kit

# PROFESSIONAL PUNCHLOCK® DOUBLE SIDED STEPLADDER

**FIBREGLASS**  
ELECTRO-SAFE™

**INDUSTRIAL**

**150KG**

The Bailey Pro Punchlock® fibreglass double sided stepladder multi-function top cap has a tool holder for improved work site safety and productivity.

- 150kg load rating and industrial duty rating make it suitable for trade and commercial applications
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- The multi-function top cap provides storage for tools, improving work site safety and productivity
- Anti-slip PVC boots for added stability
- Double sided design for greater versatility and load bearing strength
- Flat plate tri-bracing increases strength and stability
- Made to Australian Standards AS1892



Multi-function top cap

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13977	Pro FG Double Sided 3 150kg	0.89m	2.29m	9312097065000	7.4kg
FS13978	Pro FG Double Sided 4 150kg	1.19m	2.59m	9312097065017	9.1kg
FS13980	Pro FG Double Sided 6 150kg	1.79m	3.19m	9312097065031	12.8kg
FS13981	Pro FG Double Sided 7 150kg	2.09m	3.49m	9312097065048	15.6kg
FS13982	Pro FG Double Sided 8 150kg	2.39m	3.79m	9312097065055	17.6kg
FS13983	Pro FG Double Sided 10 150kg	2.99m	4.39m	9312097065062	22.2kg
FS13984	Pro FG Double Sided 12 150kg	3.59m	4.99m	9312097065079	27.1kg

**Spare Parts**

SPI5-023AZ Feet Kit

# MULTI-PURPOSE LADDERS



## BXS 20 MULTI-PURPOSE LADDERS

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**

**135KG**

- Industrial Duty Rated. Designed for use on industrial work sites
- 135kg load rating
- Strong, aluminium construction
- The most versatile ladder you can own
- Telescopic design quickly adjusts to a comfortable working height
- Adjust height quickly with spring loaded 'J' locks
- Adjust angle positions easily with push knobs
- Wide flared bottom for firm support and stability
- Anti-slip feet for added safety and stability
- Made to Australian Standards AS1892


Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13644	BXS20 MKII Multi-Purpose 135kg	2.3/4.5m (7'6"/14'8")	3.1/5.5m	9312097060005	16.7kg

### Spare Parts

SPI5-011AZ Feet Kit



Stairway ladder



Stepladder



Straight ladder



Trestle ladder



# SLS 3 IN 1 LADDERS



**AVAILABLE IN  
ALUMINIUM  
& FIBREGLASS**

## SLS 3 IN 1 LADDERS STEP/ LEANING/ STRAIGHT LADDERS



### Clever leaning top cap

- Inside corner leaning
- Outside corner leaning
- Stud frame leaning

### Patented barrel hinge

- Fast single handed operation
- Auto position lock function



Patented Barrel Hinge

### ALUMINIUM LIGHTWEIGHT INDUSTRIAL 150KG

Product No.	Description	Max. Reach Step	Max. Reach Leaning	Max. Reach Straight	EAN Code	Nominal Weight
FS13862	AL-SLS 3 IN 1 LADDER 150kg 6 (1.8m)	3.10m	3.10m	4.00m	9312097062979	8.5kg
FS13863	AL-SLS 3 IN 1 LADDER 150kg 7 (2.1m)	3.40m	3.40m	4.50m	9312097062986	9.8kg
FS13864	AL-SLS 3 IN 1 LADDER 150kg 8 (2.4m)	3.70m	3.70m	5.10m	9312097062993	11.1kg

### Spare Parts

- SP15-013AZ Feet Kit SLS 3 IN 1
- SP45-053AZ RETAINING CLIP KIT SLS 3 IN 1

### FIBREGLASS ELECTRO-SAFE™ INDUSTRIAL 150KG

Product No.	Description	Max. Reach Step	Max. Reach Leaning	Max. Reach Straight	EAN Code	Nominal Weight
FS13884	FG-SLS 3 IN 1 LADDER 150kg 6 (1.8m)	3.14m	3.14m	3.99m	9312097063228	11.5kg
FS13885	FG-SLS 3 IN 1 LADDER 150kg 7 (2.1m)	3.42m	3.42m	4.56m	9312097063235	13.3kg
FS13886	FG-SLS 3 IN 1 LADDER 150kg 8 (2.4m)	3.71m	3.71m	5.13m	9312097063242	15.2kg

### Spare Parts

- SP15-014AZ Feet Kit FG SLS 3 IN 1
- SP45-062AZ RETAINING CLIP KIT FG SLS 3 IN 1





# DUAL PURPOSE & STEP EXTENSION LADDERS





# PROFESSIONAL PUNCHLOCK® DUAL PURPOSE STEPLADDER

**ALUMINIUM** LIGHTWEIGHT / **INDUSTRIAL** / **150KG**

- Industrial Duty Rated and designed for use on industrial work sites where strength, durability and safety is required.
- 150kg load rating.
- Punchlock® rung to stile joint increases torsional rigidity of the overall ladder frame.
- Single handed latch operation easily converts from a stepladder to a straight ladder.
- Multi-function top cap with storage for tools and parts.
- Rear frame designed to allow use as a double sided stepladder.
- PVC boots and wall pads provide additional stability.
- Factory fitted "V" rung for use on poles and trees.
- Made to Australian Standards AS1892.



Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13988	Pro Aluminium DP6 150kg Punchlock®	1.79/3.30m	3.19/4.30m	9312097065116	8.4kg
FS13989	Pro Aluminium DP7 150kg Punchlock®	2.09/3.90m	3.49/4.90m	9312097065123	9.7kg
FS13990	Pro Aluminium DP8 150kg Punchlock®	2.39/4.50m	3.79/5.50m	9312097065130	11.0kg

**Spare Parts**  
SPI5-026AZ Feet Kit



# TRADE RIVETED DUAL PURPOSE STEPLADDER

**ALUMINIUM** LIGHTWEIGHT / **INDUSTRIAL** / **150KG**

- Riveted construction
- Industrial Duty Rated. Designed for use on industrial work sites where strength, durability and safety is required
- 150kg load rating
- Heavy duty extruded aluminium construction
- Three (3) sizes — 6, 7, 8 — a size for every height
- Ideal for trade and serious DIY
- Made to Australian Standards AS1892

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13432	TRADE AL DP6 150kg	1.8/3.2m (6'/10')	3.2/4.2m	9312097055667	7.2kg
FS13433	TRADE AL DP7 150kg	2.1/3.8m (7'/12')	3.5/4.8m	9312097055674	8.4kg
FS13434	TRADE AL DP8 150kg	2.4/4.4m (8'/14')	3.8/5.4m	9312097055681	9.6kg

**Spare Parts**  
SPI5-026AZ Feet Kit





## PROFESSIONAL RIVETED DUAL PURPOSE STEPLADDER WITH TREE & POLE SUPPORT

**FIBREGLASS**  
ELECTRO-SAFE™

**INDUSTRIAL**

**150KG**

- Tree/pole support added to rear section dramatically improves stability when used against trees and poles
- Three (3) sizes — 6, 7, 8 — a size for every height
- Large anti-slip "Boots" increase stability when working at heights
- Trapezoidal tread design and deep fascia top cap increase the torsional rigidity of the overall ladder frame
- Industrial Duty Rated. Designed for use on Industrial work sites
- 150kg Load Rate
- Electro-Safe™ (non-conductive)
- Easily converts from a stepladder to a single ladder
- Made to Australian Standards AS1892



Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13668	FG DP6 with Tree/Pole Support	1.8/3.2m (6'/10')	3.2/4.2m	9312097060715	10.5kg
FS13669	FG DP7 with Tree/Pole Support	2.1/3.8m (7'/12')	3.5/4.8m	9312097060722	15.1kg
FS13670	FG DP8 with Tree/Pole Support	2.4/4.4m (8'/14')	3.8/5.4m	9312097060739	16.8kg

**Spare Parts**

SP15-009AZ Feet Kit



## PROFESSIONAL PUNCHLOCK® STEP EXTENSION STEPLADDER

**FIBREGLASS**  
ELECTRO-SAFE™

**INDUSTRIAL**

**150KG**

- Industrial Duty Rated and designed for use on industrial work sites where strength, durability and safety is required.
- 150kg load rating.
- Electro-Safe™ ladders offer non-conductive properties suitable where electrical hazards exist.
- Punchlock® rung to stile joint increases torsional rigidity of the overall ladder frame.
- Innovative top cap design allows the ladder to be used as a leaning ladder as well as providing storage for tools and equipment.
- The back legs can be adjusted to allow the ladder to move up in 300 mm increments when in the extension ladder mode.
- The back section is designed to fit into small openings like man-hole covers.
- Anti-slip PVC boots for added stability.
- Factory fitted "V" rung for use on poles and trees.
- Made to Australian Standards AS1892.



Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13985	Pro Fibreglass FSE6 Punchlock® 150kg	1.79/3.13m	3.19/4.13m	9312097065086	14.0kg
FS13986	Pro Fibreglass FSE7 Punchlock® 150kg	2.09/3.73m	3.49/4.73m	9312097065093	15.8kg
FS13987	Pro Fibreglass FSE8 Punchlock® 150kg	2.39/4.03m	3.79/5.03m	9312097065109	17.5kg

**Spare Parts**

SP15-019AZ Feet Kit





# EXTENSION LADDERS



## STEPTHRU™

STEP THROUGH SAFELY

EXTENSION LADDER SAFETY DEVICE

**NEW**

## STEPTHRU™

### EXTENSION LADDER SAFETY DEVICE

**ALUMINIUM**  
LIGHTWEIGHT

The new Bailey STEPTHRU Extension Ladder Safety Device allows you to step through onto the roof safely from an extension ladder.

- **SAFE DESIGN** - The STEPTHRU hand rail extends 1m past the roof edge providing safe access to and from the ladder.
- **DUAL CLAMPING SYSTEM** - Enhanced strength with dual clamping system.
- **QUICK AND EASY INSTALLATION** - Each hand rail can be fitted in under 30 seconds - no tools required.
- **HIGH-VISIBILITY HANDRAILS** - Designed so the point of access and egress to the structure is easily visible from a distance.
- **UNIVERSAL FIT** - The STEPTHRU will fit all Bailey single and extension ladders (removal of pole supports may be required prior to fitting).
- Light weight at around 5.2kg in total.
- Australian Standards and OH&S compliant.



SCAN TO VIEW STEPTHRU VIDEO

Product No.	Description	EAN Code	Nominal Package Weight
FS14000	Extension Ladder Safety Device	9312097066199	7kg





## TRIPLE EXT 6/14 EXTENSION LADDER

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**
**150KG**

- 150kg load rating and industrial duty
- The triple section compact design provides safe access to heights up to 5.39m but is under 2m when closed.
- The compact design makes it easier to store, transport and manoeuvre indoors.
- Durable Punchlock® D rung construction providing superior climbing comfort.
- Convenient carry handles attached for easy, single-handed carrying
- Fits in most cars when in the closed position
- Slip resistant PVC boots also increase protection of the stile ends
- More overlapping rung positions for improved foot comfort
- Made to Australian Standards AS1892

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13908	Bailey Triple Ext 6/14 150kg Ind	1.95/4.39m	5.39m	9312097063983	13.5kg

**Spare Parts**

SP15-015AZ Feet Kit

SP45-063AZ End Caps



## PROFESSIONAL PUNCHLOCK® WITH LEVELLER EXTENSION LADDER

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**
**150KG**

- Factory fitted ladder levelling system allows for safe use on uneven surfaces
- 150kg load rating and industrial duty rating make it suitable for commercial applications
- Durable Punchlock® D rung construction providing superior climbing comfort
- Interlocking stiles provide increased resistance to side sway and bounce providing a more secure climbing experience
- Rung wear pads provide protection and easier raising and lowering of the ladder
- 8mm kernmantle rope with a side rope and pulley system that keeps the rope away from the user's feet for increased safety
- PVC boots provide superior slip resistance
- Large rung braces for increased strength
- Made to Australian Standards AS1892



Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13905	Pro AL Ext 10 Leveller 150kg Ind	3.18/5.01m	6.01m	9312097063952	15.4kg
FS13906	Pro AL Ext 12 Leveller 150kg Ind	3.79/6.23m	7.23m	9312097063969	19.7kg

**Spare Parts**

SP15-016AZ Feet Kit

SP45-063AZ End Caps

SP25-004AZ Rope Kit



## PROFESSIONAL PUNCHLOCK® EXTENSION LADDER

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**
**150KG**

- 150kg load rating and industrial duty rating make it suitable for commercial applications
- Durable Punchlock® D rung construction providing superior climbing comfort
- Interlocking stiles provide increased resistance to side sway and bounce providing a more secure climbing experience
- Rung wear pads provide protection and easier raising and lowering of the ladder
- 8mm kernmantle rope with a side rope and pulley system that keeps the rope away from the user's feet for increased safety
- PVC boots provide superior slip resistance
- Large rung braces for increased strength
- Made to Australian Standards AS1892
- Note: FS13897 does not feature rope and pulley



Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13897	Pro AL Ext 8 150kg Ind	2.57/4.09m	5.09m	9312097063877	11.5kg
FS13898	Pro AL Ext 10 150kg Ind	3.18/5.31m	6.31m	9312097063884	14.3kg
FS13899	Pro AL Ext 12 150kg Ind	3.79/6.53m	7.53m	9312097063891	18.7kg
FS13900	Pro AL Ext 14 150kg Ind	4.40/7.75m	8.75m	9312097063907	21.5kg
*FS13901	Pro AL Ext 16 150kg Ind	5.04/9.00m	10.00m	9312097063914	34.5kg
*FS13902	Pro AL Ext 18 150kg Ind	5.65/10.22m	11.22m	9312097063921	38.5kg
*FS13903	Pro AL Ext 20 150kg Ind	6.26/11.14m	12.14m	9312097063938	42.4kg

### Spare Parts

SP15-015AZ Feet Kit (for sizes: 8, 10, 12, 14)

SP15-017AZ Feet Kit (for sizes: 16, 18, 20)

SP45-063AZ End Caps (for sizes: 8, 10, 12, 14)

SP45-064AZ End Caps (for sizes: 16, 18, 20)

SP25-004AZ Rope Kit

### \*Note:

Items are MTO only. Contact customer service for further information.



## PROFESSIONAL PUNCHLOCK® FXN WITH POLE STRAP EXTENSION LADDER

**FIBREGLASS**  
ELECTRO-SAFE™

**INDUSTRIAL**
**160/170KG**

- 170kg load rate on sizes 8 through to 16 and 160kg on size 18
- The Punchlock® top hat construction increases resistance to bounce and side sway
- Electro - Safe™ (non-conductive) fibreglass construction is a must where electrical hazards exist
- Anti-slip PVC boots for added stability
- Adjustable pulley system allows the user to configure the rope as a side or centre pull
- Factory fitted PVC coated pole strap allows the ladder to be positioned against poles and trees
- Made to Australian Standards AS1892

Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13909	Pro FG FXN Ext 8 170kg Ind	2.60/4.13m	5.13m	9312097063990	21.1kg
FS13910	Pro FG FXN Ext 10 170kg Ind	3.21/5.35m	6.35m	9312097064003	25.6kg
FS13911	Pro FG FXN Ext 12 170kg Ind	3.82/6.57m	7.57m	9312097064010	30.0kg
FS13912	Pro FG FXN Ext 14 170kg Ind	4.43/7.79m	8.79m	9312097064027	34.4kg
FS13913	Pro FG FXN Ext 16 170kg Ind	5.04/9.01m	10.01m	9312097064034	38.9kg
FS13914	Pro FG FXN Ext 18 160kg Ind	5.65/9.92m	10.92m	9312097064041	43.3kg

### Spare Parts

SP15-017AZ Feet Kit

SP45-064AZ End Caps

SP25-005AZ Rope Kit





## PROFESSIONAL PUNCHLOCK® FSXN WITH VEE RUNG EXTENSION LADDER

**FIBREGLASS**  
ELECTRO-SAFE™

**INDUSTRIAL**
**140/150KG**

- 150kg load rating on sizes 8 to 14 and 140kg on size 16
- The Punchlock® construction provides a durable rung to stile connection
- Interlocking stiles provide increased resistance to side sway providing a more secure climbing experience
- Anti-slip PVC boots for added stability
- Rung wear pads provide protection and easier raising and lowering of the ladder
- Factory fitted V rung allows the ladder to be safely positioned against poles and trees
- Made to Australian Standards AS1892



Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13917	Pro FG FSXN Ext 8 Vee 150kg Ind	2.63/4.16m	5.16m	9312097064058	19.3kg
FS13918	Pro FG FSXN Ext 10 Vee 150kg Ind	3.24/5.38m	6.38m	9312097064065	23.2kg
FS13919	Pro FG FSXN Ext 12 Vee 150kg Ind	3.85/6.60m	7.60m	9312097064072	27.1kg
FS13920	Pro FG FSXN Ext 14 Vee 150kg Ind	4.46/7.82m	8.82m	9312097064089	31.2kg
FS13921	Pro FG FSXN Ext 16 Vee 140kg Ind	5.07/9.04m	10.04m	9312097064096	35.1kg

**Spare Parts**

SP15-017AZ Feet Kit

SP45-064AZ End Caps

SP25-004AZ Rope Kit



## PROFESSIONAL PUNCHLOCK® SINGLE LADDER

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**
**150KG**

- 150kg load rating and industrial duty rating make it suitable for commercial applications
- Durable Punchlock® D rung construction providing superior climbing comfort
- PVC boots at the top and bottom of the ladder provide superior slip resistance
- Large rung braces for increased strength
- Extra heavy duty aluminium construction
- Made to Australian Standards AS1892



Product No.	Description	Nominal Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13890	Pro AL Single 7 150kg Ind	2.40m	3.40m	9312097063808	11.5kg
FS13891	Pro AL Single 9 150kg Ind	3.01m	4.01m	9312097063815	14.3kg
FS13892	Pro AL Single 11 150kg Ind	3.62m	4.62m	9312097063822	18.7kg
FS13893	Pro AL Single 13 150kg Ind	4.23m	5.23m	9312097063839	21.5kg

**Spare Parts**

SP15-015AZ Feet Kit

SP45-063AZ End Caps

# PLATFORM STEPLADDERS



**NEW**

## ADJUSTABLE HEIGHT PLATFORM STEPLADDER

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**

**170KG**



**SAFETY GATE** FS13952  
**NOW AVAILABLE**

**Spare Parts**

SP15-032AZ Boot Kit Al Adjust Height PFS.

The new Bailey FS13999 Adjustable Height Platform Stepladder quickly converts from a 3 step platform stepladder to a 4, 5 or 6 step platform stepladder using a single handed operation. The innovative design allows the back legs to be adjusted in 50mm increments allowing the ladder to be used safely on a staircase or sloping ground.

Add the optional safety gate and you have a secure, safe, and stable work platform that provides a compliant working at heights platform.

- The new adjustable height platform stepladder can be converted from a 3-step platform ladder to a 4, 5 or 6 step ladder providing a max. reach height of 3.71m.
- The single-handed locking mechanism allows the user to adjust the height of the ladder quickly and easily, improving productivity on site.
- The back legs can be adjusted at 50mm increments to allow the ladder to be safely leveled on stairways or sloping surfaces.
- The outriggers provide a very stable work platform that inspires confidence and job site safety.
- At 19kg it is the lightest 4 height adjustable platform stepladder in the Australian Market.
- A massive 170kg load rating and industrial duty rating make the ladder suitable for use on commercial work sites.
- Large platform standing area (420mm X 500mm) for all day standing comfort.
- Multi-function handrail for tool and equipment storage.
- Anti-slip PVC boots for added stability.
- Safety gate is available as an accessory.
- Made to Australian Standards AS1892



Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13999	Adjustable Height Platform Step Ladder 3-6 170kg Ind	0.85m - 1.71m	2.85m - 3.71m	9312097065857	18.8kg
<b>Accessories</b>					
FS13952	Safety Gate Kit (ADJ HT PF, Pro AL, Pro FG, P150 AL, P150 FG)			9312097064348	2.7kg





# PROFESSIONAL PUNCHLOCK® PLATFORM STEPLADDER

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**

**170KG**

The Bailey Pro Punchlock® aluminium platform stepladder has a large and stable work platform to improve work site safety and efficiency

- 170kg load rating and industrial duty rating make it suitable for trade and commercial applications
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- Large 400 X 500mm platform for added safety and all day standing comfort
- 900mm handrail height from platform
- Anti-slip PVC boots for added stability
- Multi-function handrail for tool storage
- Safety gate and castors available as accessories
- Made to Australian Standards AS1892



**SAFETY GATE FS13952  
NOW AVAILABLE**

**Spare Parts**

SP15-018AZ Boot Kit AL & Ext. IND PFS

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13931	Pro AL Platform Ladder 2	0.57m	2.57m	9312097064133	8.8kg
FS13932	Pro AL Platform Ladder 3	0.85m	2.86m	9312097064140	10.0kg
FS13933	Pro AL Platform Ladder 4	1.13m	3.14m	9312097064157	11.1kg
FS13934	Pro AL Platform Ladder 5	1.42m	3.43m	9312097064164	12.3kg
FS13935	Pro AL Platform Ladder 6	1.70m	3.71m	9312097064171	14.0kg
FS13936	Pro AL Platform Ladder 7	1.99m	4.00m	9312097064188	19.5kg
FS13937	Pro AL Platform Ladder 8	2.27m	4.28m	9312097064195	21.0kg

**Accessories**

FS13991	Castor / Wheel Kit (White Spring) Fits 2-5 step	-	-	9312097065147	2.5kg
FS13992	Castor / Wheel Kit (Yellow Spring) Fits 6-7 step	-	-	9312097065154	2.5kg
FS13993	Castor / Wheel Kit (Green Spring) Fits 8 step	-	-	9312097065161	3.3kg
FS13952	Safety Gate Kit (Pro AL, Pro FG, P150 AL, P150 FG)	-	-	9312097064348	2.7kg

**Note:** Platform height is approximate vertical height to platform from the ground




# P170 JOB STATION PLATFORM STEPLADDER

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**

**170KG**

- Huge platform area (610 x 457mm) adds comfort and stability
- New 'trapezoidal tread design' provides an incredibly strong tread to stile joint
- Fully reinforced polypropylene platform with metal inserts for maximum strength
- Multi-function handrail for tool storage
- Checker plate 'deck pattern' provides an anti-slip standing area
- Extra strong, heavy duty aluminium construction for superior durability
- Large anti-slip feet for maximum stability and durability
- Convenient carry handle allows for easy transport
- Swivel castors for improved mobility
- Fully integrated bracing and castor system - patented industry leading design
- Made to Australian Standards AS1892



Castors Included

**P170 SAFETY GATE FS13954  
NOW AVAILABLE**

**Spare Parts**

SP15-005AZ Feet Kit

SP30-001AZ Castor Kit

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13538	AL P170 3 Job Station	0.9m	2.87m	9312097058620	16.9kg
FS13539	AL P170 4 Job Station	1.2m	3.16m	9312097058637	18.4kg
FS13540	AL P170 5 Job Station	1.5m	3.45m	9312097058644	19.9kg
FS13541	AL P170 6 Job Station	1.8m	3.74m	9312097058651	21.9kg
FS13542	AL P170 7 Job Station	2.03m	4.03m	9312097058668	27.4kg
FS13543	AL P170 8 Job Station	2.32m	4.32m	9312097058675	28.4kg
FS13544	AL P170 10 Job Station	2.91m	4.91m	9312097058682	33.2kg
FS13545	AL P170 12 Job Station	3.49m	5.49m	9312097058699	37.6kg

**Accessories**

FS13954	Safety Gate Kit (P170 AL & P170 FG)	-	-	9312097064362	2.4kg
---------	-------------------------------------	---	---	---------------	-------



**SCAN TO VIEW  
SAFETY GATE  
DEMO VIDEO**



# P150 PLATFORM STEPLADDER

**ALUMINIUM** LIGHTWEIGHT / **INDUSTRIAL** / **150KG**

- Lightweight and highly portable - Up to 25% lighter than competitive products
- Fully functional 'magnetised' section on handrail secures tools and fasteners
- Large standing area (508 x 416mm) adds comfort and stability
- 150kg load rating
- Industrial Duty Rating
- Checker plate 'deck pattern' provides an anti-slip standing area
- Extra strong, heavy duty aluminium construction for superior durability
- Large anti-slip feet for maximum stability and durability
- Swivel castors for improved mobility and improved productivity (available as an accessory)
- Made to Australian Standards AS1892

**P150 SAFETY GATE** FS13952  
**NOW AVAILABLE**

**Spare Parts**

SPI5-018AZ Feet Kit

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS14066	AL P150 3 150kg	0.9m	2.9m	9312097065895	11kg
FS14067	AL P150 4 150kg	1.2m	3.2m	9312097065901	12.5kg
FS14068	AL P150 5 150kg	1.5m	3.5m	9312097065918	13.9kg
FS14069	AL P150 6 150kg	1.8m	3.8m	9312097065925	15.8kg

**Accessories**

FS14096	Castor Kit White	Fits 3, 4 and 5 step AL		9312097066236	3.3kg
FS14097	Castor Kit Yellow	Fits 6 step AL		9312097066243	3.3kg
FS13952	Safety Gate Kit (ADJ HT PF, Pro AL, Pro FG, P150 AL, P150 FG)			9312097064348	2.7kg

# RETAIL PLATFORM STEP STOOL PLATFORM STEPLADDER

**ALUMINIUM** LIGHTWEIGHT / **INDUSTRIAL** / **120KG**

- Large 300mm deep and 250mm wide platform provides a comfortable work position
- Multi-function flip top handrail
- Anti-slip PVC boots for added stability
- Trapezoidal tread profile for strength and durability
- 115mm deep when closed makes it easy to store when not in use
- Available in three sizes with platform heights ranging from 570mm to 1130mm providing a reach height from 2.6m to 3.1m
- 120kg load rating and industrial duty rating



Retail Platform Ladder  
RPFS top cap



Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13868	Retail Platform Stepladder 2	0.57m	2.6m	9312097063068	4.5kg
FS13869	Retail Platform Stepladder 3	0.85m	2.9m	9312097063075	5.6kg
FS13870	Retail Platform Stepladder 4	1.13m	3.1m	9312097063082	6.9kg





# PROFESSIONAL PUNCHLOCK® PLATFORM STEPLADDER

**FIBREGLASS**  
ELECTRO-SAFE™

**INDUSTRIAL**

**170KG**

The Bailey Pro Punchlock® fibreglass platform stepladder has a large and stable work platform to improve work site safety and efficiency

- 170kg load rating and industrial duty rating make it suitable for trade and commercial applications
- The Punchlock® tread design increases torsional rigidity of the overall ladder frame
- Large 400 X 500mm platform for added safety and all day standing comfort
- 900mm handrail height from platform
- Electro-safe™ fibreglass design makes it suitable to use where an electrical hazard exists
- Anti-slip PVC boots for added stability
- Multi-function handrail for tool storage
- Safety gate and castors available as accessories
- Made to Australian Standards AS1892

**SAFETY GATE FS13952  
NOW AVAILABLE**

**Spare Parts/Accessories**

SP15-019AZ Boot Kit FG PFS & FSE

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13945	Pro FG Platform Ladder 2	0.57m	2.57m	9312097064270	11.4kg
FS13946	Pro FG Platform Ladder 3	0.86m	2.86m	9312097064287	13.1kg
FS13947	Pro FG Platform Ladder 4	1.14m	3.14m	9312097064294	14.8kg
FS13948	Pro FG Platform Ladder 5	1.43m	3.43m	9312097064300	16.5kg
FS13949	Pro FG Platform Ladder 6	1.71m	3.71m	9312097064317	18.7kg
FS13950	Pro FG Platform Ladder 7	2.00m	4.00m	9312097064324	24.8kg
FS13951	Pro FG Platform Ladder 8	2.28m	4.28m	9312097064331	26.8kg

**Accessories**

**EAN Code**

FS13991	Castor / Wheel Kit (White Spring) Fits 2-3 step	-	-	9312097065147	2.5kg
FS13992	Castor / Wheel Kit (Yellow Spring) Fits 4-6 step	-	-	9312097065154	2.5kg
FS13993	Castor / Wheel Kit (Green Spring) Fits 7-8 step	-	-	9312097065161	3.3kg
FS13952	Safety Gate Kit (ADJ HT PF, Pro AL, Pro FG, P150 AL, P150 FG)	-	-	9312097064348	2.7kg

**Note:** Platform height is approximate vertical height to platform from the ground

# P170 JOB STATION PLATFORM STEPLADDER

**FIBREGLASS**  
ELECTRO-SAFE™

**INDUSTRIAL**

**170KG**



- Huge platform area (610 x 457mm) adds comfort and stability
- New 'trapezoidal tread design' provides an incredibly strong tread to stile joint
- Multi-function handrail for tool storage
- Fully reinforced polypropylene platform with metal inserts for maximum strength
- Electro - Safe™ (non-conductive)
- Checker plate 'deck pattern' provides an anti-slip standing area
- Extra strong, heavy duty fibreglass construction for superior durability
- Large anti-slip feet for maximum stability and durability
- Convenient carry handle allows for easy transport for improved mobility and productivity
- Fully integrated bracing and castor system - patented industry leading design
- Made to Australian Standards AS1892



Carry Handle

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13530	FG P170 3 Job Station	0.9m	2.9m	9312097058545	17.9kg
FS13531	FG P170 4 Job Station	1.2m	3.2m	9312097058552	19.5kg
FS13532	FG P170 5 Job Station	1.5m	3.5m	9312097058569	21.2kg
FS13533	FG P170 6 Job Station	1.8m	3.8m	9312097058576	23.4kg
FS13534	FG P170 7 Job Station	2.03m	4.03m	9312097058583	29kg
FS13535	FG P170 8 Job Station	2.32m	4.32m	9312097058590	30.3kg
FS13536	FG P170 10 Job Station	2.91m	4.91m	9312097058606	35.3kg
FS13537	FG P170 12 Job Station	3.49m	5.49m	9312097058613	40.1kg

**Accessories**

FS13954	Safety Gate Kit (P170 AL & P170 FG)	-	-	9312097064362	2.4kg
---------	-------------------------------------	---	---	---------------	-------



**SCAN TO VIEW  
P170 VIDEO**

**Spare Parts**

SP15-005AZ Feet Kit

SP30-001AZ Castor Kit



# P150 PLATFORM STEPLADDER

**FIBREGLASS** ELECTRO-SAFE™ **INDUSTRIAL** **150KG**

- Lightweight and highly portable – Up to 25% lighter than competitive products
- Fully functional ‘magnetised’ handrail secures tools and fasteners
- Electro – Safe™ (non-conductive)
- Large standing area (508 x 416mm) adds comfort and stability
- 150kg load rating
- Checker plate ‘deck pattern’ provides an anti-slip standing area
- Heavy duty fibreglass construction for superior durability
- Large anti-slip feet for maximum stability and durability
- Swivel castors for improved mobility and productivity (available as an accessory)
- Made to Australian Standards AS1892



**Spare Parts**

SP15-019AZ Feet Kit

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS14070	HD FG P150 3 150kg	0.9m	2.9m	9312097059153	12.1kg
FS14071	HD FG P150 4 150kg	1.2m	3.2m	9312097059160	13.8kg
FS14072	HD FG P150 5 150kg	1.5m	3.5m	9312097059177	15.4kg
FS14073	HD FG P150 6 150kg	1.8m	3.8m	9312097059184	17.5kg
<b>Accessories</b>					
FS14096	Castor Kit White	Fits 3 and 4 step FG		9312097066236	3.3kg
FS14097	Castor Kit Yellow	Fits 5 and 6 step FG		9312097066243	3.3kg
FS13952	Safety Gate Kit (ADJ HT PF, Pro AL, Pro FG, P150 AL, P150 FG)			9312097064348	2.7kg



## SAFETY GATE FOR PLATFORM STEPLADDERS

- Fully surrounds the user
- Improves safety on platform stepladders
- Maintains a safe working zone
- Folds down for easy access
- Folds away with ladder
- Quick and easy to fit
- Simple to use
- Ladder still fits on roof racks
- Safety gates will fit previous models of platform stepladders

Product No.	Description	EAN Code	Nominal Weight
FS13952	Safety Gate Kit (ADJ HT PF, Pro AL, Pro FG, P150 AL, P150 FG)	9312097064348	2.7kg
FS13953	Safety Gate Kit (Ext Industry & Ladderweld)	9312097064355	2.6kg
FS13954	Safety Gate Kit (P170 AL & P170 FG)	9312097064362	2.4kg



# INDUSTRIAL TWIN PLATFORM



INDUSTRIAL TWIN PLATFORM STEPSTOOL



TRADE  LYTE™



**NEW**

## INDUSTRIAL TWIN PLATFORM STEPSTOOL

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**

**135KG**

**FIBREGLASS**  
ELECTRO-SAFE™

**INDUSTRIAL**

**135KG**

The innovative Industrial Twin Platform from Bailey Ladders enables the user to have two large, safe and stable standing platforms which increase the flexibility and versatility around the worksite and office when carrying out light duty tasks.

- Twin platforms (298mm wide x 270mm deep) for multi-height use.
- Available in 3 step and 4 step versions.
- 135 kg Industrial rated enabling use on worksites.
- Functional Top for improved productivity and versatility.
- Large Boots for greater stability.
- Box section construction for strength.
- Compact and light.
- Available in both Aluminium and Fibreglass versions.
- Made to Australian Standards AS1892.

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS14040	AL Twin Platform Industrial Stepstool 3 step	0.57 - 0.85m	2.85m	9312097066328	5.4kg
FS14041	AL Twin Platform Industrial Stepstool 4 step	0.85 - 1.14m	3.14m	9312097066335	6.5kg
FS14042	FG Twin Platform Industrial Stepstool 3 step	0.57 - 0.85m	2.85m	9312097066342	6.7kg
FS14043	FG Twin Platform Industrial Stepstool 4 step	0.85 - 1.14m	3.14m	9312097066359	8.3kg

#### Spare parts

SP15-033AZ	SPARE PART - BOOT KIT AL INDUSTRIAL TWIN
SP15-034AZ	SPARE PART - BOOT KIT FG INDUSTRIAL TWIN



SCAN TO VIEW ITP VIDEO

NEED SPARES FOR YOUR BAILEY LADDER? VISIT [LADDERSPARES.COM.AU](http://LADDERSPARES.COM.AU)




## SAFETY STEPS

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**
**150KG**

**Bailey's Safety Step provides stair like access and is ultra compact when folded and not in use**

- Light weight aluminium construction
- Slim profile for easy storage when not in use
- Wide and deep treads with anti-slip rubber inserts for safety and stability
- Racked front frame for stair-like access
- Strong 150kg load rating
- Folding handrail comes as standard
- Made to Australian Standards AS1892



Product No.	Description	Size	Maximum Reach Height	EAN Code	Weight
*FS13750	Stairway Ladder 2 Step with Safety Rail 150kg Ind	0.45m	2.45m	9312097061842	6.6kg
*FS13751	Stairway Ladder 3 Step with Safety Rail 150kg Ind	0.67m	2.67m	9312097061859	8.6kg
*FS13752	Stairway Ladder 4 Step with Safety Rail 150kg Ind	0.89m	2.89m	9312097061866	10.6kg
*FS13753	Stairway Ladder 5 Step with Safety Rail 150kg Ind	1.11m	3.11m	9312097061873	12.7kg

**\*Note:**

Items are MTO only. Contact customer service for further information.

## ATTIC LADDER

**ALUMINIUM**  
LIGHTWEIGHT

**DOMESTIC**
**170KG**

- Designed for domestic applications
- Strong and stable aluminium construction
- Standard ceilings (2.34-3.12m) 170kg Domestic duty rating
- Gas struts provide easy and quiet opening
- Handrail included for additional comfort when climbing
- Wide opening for easy access
- Simple and easy to install



Product No.	Description	Nominal Size	Nominal Opening Dimensions	EAN Code	Nominal Weight
FS13560	AL Attic Ladder 170kg	2.34m — 3.12m	570 x 1370mm approx.	9312097058842	22.0kg

**Spare Parts**

SP15-010AZ Feet Kit





# ORDER PICKERS & ACCESS PLATFORMS



Note: Access Platform FS13591 shown





- Safety gate now a standard inclusion
- Supplied in flat pack with detailed assembly instructions.

# ORDER PICKING PLATFORMS

## TEMPORARY WORK PLATFORM

**ALUMINIUM** LIGHTWEIGHT **INDUSTRIAL** **150KG**



- Industrial Duty Rated order picking ladder designed for use on commercial sites and warehouses
- 150kg load rating
- Light, strong aluminium construction with heavy duty stiles and tread
- Safety gate included as standard
- Rear Tilt-N-Go castors
- Large 600 X 500mm platform
- Box section back legs provide greater strength and rigidity
- Ideal for stock picking or industrial applications
- Spring loaded castors for ease of manoeuvrability
- Supplied flat packed with the tools required for assembly
- Made to Australian Standards AS1892

Product No.	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13873	Order Picking Platform 2 MK3	0.55m	2.55m	9312097063112	20.0kg
FS13874	Order Picking Platform 3 MK3	0.82m	2.82m	9312097063129	22.1kg
FS13875	Order Picking Platform 4 MK3	1.10m	3.10m	9312097063136	24.0kg
FS13876	Order Picking Platform 5 MK3	1.38m	3.38m	9312097063143	25.9kg
FS13877	Order Picking Platform 6 MK3	1.65m	3.65m	9312097063150	28.5kg
FS13878	Order Picking Platform 7 MK3	1.93m	3.93m	9312097063167	30.5kg
FS13879	Order Picking Platform 8 MK3	2.20m	4.20m	9312097063174	32.7kg



# LADDERWELD

## ACCESS PLATFORM

### TEMPORARY WORK PLATFORM

**ALUMINIUM** LIGHTWEIGHT **INDUSTRIAL** **200KG**



- Super strong 'fully welded' design fabricated from heavy duty aluminium
- 100mm deep treads improve safety and comfort when climbing
- 'Walk thru' design for stock picking, warehousing and access to mezzanine floors and vehicles
- Large 125mm wheels – improved portability and 'easy glide' action
- Large stable work platform (safe and stable) – 590mm x 800mm
- Manually operated braking system with high-vis powder coated activation arm helps minimise unauthorised access
- Toe board on three sides (helps secure tools/ accessories)
- Shelf included
- 200kg load rating
- Industrial duty rating for use on commercial sites
- Meets OH&S requirements (safety gate + 900mm handrail, toe board)
- Made to Australian Standards AS1892



Product Code	Description	Nominal Platform Height	Nominal Max. Reach Height	EAN Code	Nominal Fully Open Dimensions (WxD mm)	Nominal Weight
FS13591	Access Platform 3	828mm	2.8m	9312097059436	724 x 1168	38.1kg
FS13592	Access Platform 4	1104mm	3.1m	9312097059443	764 x 1309	40.6kg
FS13593	Access Platform 5	1381mm	3.4m	9312097059450	804 x 1451	43kg
FS13594	Access Platform 6	1656mm	3.7m	9312097059467	844 x 1592	46kg
FS13595	Access Platform 7	1933mm	3.9m	9312097059474	884 x 1733	48.5kg
FS13596	Access Platform 8	2209mm	4.2m	9312097059481	924 x 1875	51kg
FS13597	Access Platform 10	2761mm	4.8m	9312097059498	1003 x 2157	62kg
FS13598	Access Platform 12	3313mm	5.3m	9312097059504	1083 x 2440	69kg
FS13599	Access Platform 14	3866mm	5.9m	9312097059511	1164 x 2723	76.4kg

**Spare Parts**

Please refer to pages 30-31 of this product guide.



# MODULAR ACCESS/ PLATFORM SYSTEMS



1m Bridge Configuration

## MODULAR ACCESS/ PLATFORM SYSTEMS

**ALUMINIUM**  
LIGHTWEIGHT

**INDUSTRIAL**

**200KG**

Introducing the Modular Access System that will revolutionise safe access to heights when used in conjunction with the Bailey Access Platforms. The modular components allow you to design and build an access platform that is customised to your needs.



2m Bridge Configuration



- Modular system allows for unlimited types of configuration
- Fully welded frames and platforms with integrated toe boards
- Hand rails can be easily removed/repositioned to allow clear access to the work space
- 600mm wide platforms for a safe work zone
- Strong 200kg load rating per bay
- Industrial duty - safe to use on a work site
- Lockable castors allow easy repositioning of the system
- Made to the Australian Standard AS1892



SCAN TO VIEW  
MAS VIDEO



SCAN TO VIEW  
ASSEMBLY  
VIDEO




Combination variable height  
1m & 2m Bridge Configuration

Product No.	Description	Size	Nominal Max. Reach Height	EAN Code	Nominal Weight
FS13789	Modular Access System 1.0m Platform	1.0 m	N/A	9312097062238	16.5kg
FS13790	Modular Access System 2.0m Platform	2.0 m	N/A	9312097062245	31.0kg
FS13791	Modular Access System 3 Step Upright	0.83m	2.8m	9312097062252	7.9kg
FS13792	Modular Access System 4 Step Upright	1.10 m	3.1m	9312097062269	8.5kg
FS13793	Modular Access System 5 Step Upright	1.38m	3.4m	9312097062276	9.2kg
FS13794	Modular Access System 6 Step Upright	1.65m	3.6m	9312097062283	10.0kg
FS13855	Modular Access System Plus Platform	-	-	9312097062900	20.4kg
FS13856	Modular Access System Joiner Platform	-	-	9312097062917	8.6kg
FS13857	Modular Access System Plus Platform - Spreader	-	-	9312097062924	2.0kg





# LADDERWELD ACCESS PLATFORM


TEMPORARY WORK PLATFORM  
SPARE PARTS DIAGRAM








**A**  **Shelf**  
SP45-004AZ


**B**  **Rear Panel**  
SP45-008AZ

**C**  **Top Diagonal Braces (x2)**  
SP45-009AZ


**D**  **Horizontal Braces (x2)**  
(Access Platform 10-14)  
SP45-010AZ


**E**  **Bottom Diagonal Braces (x2)**  
(Access Platform 10-14)  
SP45-011AZ


**F**  **Plan Braces (x2)**  
SP45-012AZ

**G**  **Wheel System**  
(RHS & LHS)


Access Plat. 3	SP45-013AZ
Access Plat. 4	SP45-014AZ
Access Plat. 5	SP45-015AZ
Access Plat. 6	SP45-016AZ
Access Plat. 7	SP45-017AZ
Access Plat. 8	SP45-018AZ
Access Plat. 10	SP45-019AZ
Access Plat. 12	SP45-020AZ
Access Plat. 14	SP45-021AZ


**H**  **Castors (x4)**  
SP45-031AZ


**I**  **Feet**  
(Front & Rear)  
SP45-032AZ


**J**  **Handle and Handlevers**


Access Plat. 3	SP45-022AZ
Access Plat. 4	SP45-023AZ
Access Plat. 5	SP45-024AZ
Access Plat. 6	SP45-025AZ
Access Plat. 7	SP45-026AZ
Access Plat. 8	SP45-027AZ
Access Plat. 10	SP45-028AZ
Access Plat. 12	SP45-029AZ
Access Plat. 14	SP45-030AZ

**K**  **Lower Handrails (x2)**  
(Access Platform 10-14)  
SP45-007AZ

**L**  **Bottom Handrails (x2)**  
SP45-006AZ

**M**  **RH Top Handrail**  
**LH Top Handrail**  
SP45-005AZ

**N**  **Component Kit**  
SP45-033AZ

**O**  **Safety Gates**  
SP45-054AZ

Product Number	Product Description	Page
FSI3428	Trade AL Double Sided 3 150kg Ind Riveted - 0.9m	9
FSI3429	Trade AL Double Sided 4 150kg Ind Riveted - 1.2m	9
FSI3430	Trade AL Double Sided 6 150kg Ind Riveted - 1.8m	9
FSI3431	Trade AL Double Sided 8 150kg Ind Riveted - 2.4m	9
FSI3432	Trade AL Dual Purpose 6 150kg Ind Riveted - 1.8m/3.2m	14
FSI3433	Trade AL Dual Purpose 7 150kg Ind Riveted - 2.1m/3.8m	14
FSI3434	Trade AL Dual Purpose 8 150kg Ind Riveted - 2.4m/4.4m	14
FSI3530	FG P170-3 170kg Ind Job Station - 0.9m	23
FSI3531	FG P170-4 170kg Ind Job Station - 1.2m	23
FSI3532	FG P170-5 170kg Ind Job Station - 1.5m	23
FSI3533	FG P170-6 170kg Ind Job Station - 1.8m	23
FSI3534	FG P170-7 170kg Ind Job Station - 2.1m	23
FSI3535	FG P170-8 170kg Ind Job Station - 2.4m	23
FSI3536	FG P170-10 170kg Ind Job Station - 3.0m	23
FSI3537	FG P170-12 170kg Ind Job Station - 3.6m	23
FSI3538	AL P170-3 170kg Ind Job Station - 0.9m	21
FSI3539	AL P170-4 170kg Ind Job Station - 1.2m	21
FSI3540	AL P170-5 170kg Ind Job Station - 1.5m	21
FSI3541	AL P170-6 170kg Ind Job Station - 1.8m	21
FSI3542	AL P170-7 170kg Ind Job Station - 2.1m	21
FSI3543	AL P170-8 170kg Ind Job Station - 2.4m	21
FSI3544	AL P170-10 170kg Ind Job Station - 3.0m	21
FSI3545	AL P170-12 170kg Ind Job Station - 3.6m	21
FSI3560	Dom 170kg Aluminium Folding Attic Ladder - (2.34m/3.12m)	26
FSI3584	Castor Kit - PI50	24
FSI3591	Access Platform 3 200kg Ind (Platform Height 828mm)	28
FSI3592	Access Platform 4 200kg Ind (Platform Height 1104mm)	28
FSI3593	Access Platform 5 200kg Ind (Platform Height 1381mm)	28
FSI3594	Access Platform 6 200kg Ind (Platform Height 1656mm)	28
FSI3595	Access Platform 7 200kg Ind (Platform Height 1933mm)	28
FSI3596	Access Platform 8 200kg Ind (Platform Height 2209mm)	28
FSI3597	Access Platform 10 200kg Ind (Platform Height 2761mm)	28
FSI3598	Access Platform 12 200kg Ind (Platform Height 3313mm)	28
FSI3599	Access Platform 14 200kg Ind (Platform Height 3866mm)	28
FSI3644	BXS20 2.3m/4.5m (7'6"/14'8") - 135kg Ind	11
FSI3668	HD FG Dual Purpose 6 with V Rung 150kg Riveted - 1.8m/3.2m	15
FSI3669	HD FG Dual Purpose 7 with V Rung 150kg Riveted - 2.1m/3.8m	15
FSI3670	HD FG Dual Purpose 8 with V Rung 150kg Riveted - 2.4m/4.4m	15
FSI3750	*Stairway Ladder 2 Step with Safety Rail 150kg Ind	26
FSI3751	*Stairway Ladder 3 Step with Safety Rail 150kg Ind	26
FSI3752	*Stairway Ladder 4 Step with Safety Rail 150kg Ind	26
FSI3753	*Stairway Ladder 5 Step with Safety Rail 150kg Ind	26
FSI3789	Modular Access System 1.0m Platform	29
FSI3790	Modular Access System 2.0m Platform	29
FSI3791	Modular Access System 3 Step Upright	29
FSI3792	Modular Access System 4 Step Upright	29
FSI3793	Modular Access System 5 Step Upright	29
FSI3794	Modular Access System 6 Step Upright	29
FSI3855	Modular Access System Plus Platform	29
FSI3856	Modular Access System Joiner Platform	29
FSI3857	Modular Access System Plus Platform Spreader	29
FSI3862	AL SLS 3 IN 1 (6/9 Step) 1.8m 150kg Ind	12
FSI3863	AL SLS 3 IN 1 (7/11 Step) 2.1m 150kg Ind	12
FSI3864	AL SLS 3 IN 1 (8/14 Step) 2.4m 150kg Ind	12
FSI3868	Retail Platform Step Stool 2 - 120kg Ind	22
FSI3869	Retail Platform Step Stool 3 - 120kg Ind	22
FSI3870	Retail Platform Step Stool 4 - 120kg Ind	22
FSI3873	AL Order Picking Platform 2 150kg Ind	28
FSI3874	AL Order Picking Platform 3 150kg Ind	28
FSI3875	AL Order Picking Platform 4 150kg Ind	28
FSI3876	AL Order Picking Platform 5 150kg Ind	28
FSI3877	AL Order Picking Platform 6 150kg Ind	28
FSI3878	AL Order Picking Platform 7 150kg Ind	28
FSI3879	AL Order Picking Platform 8 150kg Ind	28
FSI3884	FG SLS 3 IN 1 (6/9 Step) 1.8m 150kg Ind	12
FSI3885	FG SLS 3 IN 1 (7/11 Step) 2.1m 150kg Ind	12



Product Number	Product Description	Page
FSI3886	FG SLS 3 IN 1 (8/14 Step) 2.4m 150kg Ind	12
FSI3890	Pro AL Single 7 150kg Ind Punchlock® - 2.4m	19
FSI3891	Pro AL Single 9 150kg Ind Punchlock® - 3.0m	19
FSI3892	Pro AL Single 11 150kg Ind Punchlock® - 3.6m	19
FSI3893	Pro AL Single 13 150kg Ind Punchlock® - 4.2m	19
FSI3897	Pro AL Ext 8 150kg Ind Punchlock® (2.5m/4.0m)	18
FSI3898	Pro AL Ext 10 150kg Ind Punchlock® (3.1m/5.3m)	18
FSI3899	Pro AL Ext 12 150kg Ind Punchlock® (3.7m/6.5m)	18
FSI3900	Pro AL Ext 14 150kg Ind Punchlock® (4.4m/7.7m)	18
FSI3901	Pro AL Ext 16 150kg Ind Punchlock® (5.0m/9.0m)	18
FSI3902	Pro AL Ext 18 150kg Ind Punchlock® (5.6m/10.2m)	18
FSI3903	Pro AL Ext 20 150kg Ind Punchlock® (6.2m/11.1m)	18
FSI3905	Pro AL Ext 10 Leveller 150kg Ind Punchlock® (3.1m/5.0m)	17
FSI3906	Pro AL Ext 12 Leveller 150kg Ind Punchlock® (3.7m/6.2m)	17
FSI3908	AL Triple Extension 6/14 150kg Ind (1.9m/4.3m)	17
FSI3909	Pro FG FXN Ext 8 170kg Ind Punchlock® (2.6m/4.1m)	18
FSI3910	Pro FG FXN Ext 10 170kg Ind Punchlock® (3.2m/5.3m)	18
FSI3911	Pro FG FXN Ext 12 170kg Ind Punchlock® (3.8m/6.5m)	18
FSI3912	Pro FG FXN Ext 14 170kg Ind Punchlock® (4.4m/7.7m)	18
FSI3913	Pro FG FXN Ext 16 170kg Ind Punchlock® (5.0m/9.0m)	18
FSI3914	Pro FG FXN Ext 18 160kg Ind Punchlock® (5.6m/9.9m)	18
FSI3917	Pro FG FSXN Ext 8 Vee 150kg Ind Punchlock® (2.6m/4.1m)	19
FSI3918	Pro FG FSXN Ext 10 Vee 150kg Ind Punchlock® (3.2m/5.3m)	19
FSI3919	Pro FG FSXN Ext 12 Vee 150kg Ind Punchlock® (3.8m/6.6m)	19
FSI3920	Pro FG FSXN Ext 14 Vee 150kg Ind Punchlock® (4.4m/7.8m)	19
FSI3921	Pro FG FSXN Ext 16 Vee 140kg Ind Punchlock® (5.0m/9.0m)	19
FSI3931	Pro AL PFS2 170kg Ind Punchlock® - 0.6m	21
FSI3932	Pro AL PFS3 170kg Ind Punchlock® - 0.9m	21
FSI3933	Pro AL PFS4 170kg Ind Punchlock® - 1.2m	21
FSI3934	Pro AL PFS5 170kg Ind Punchlock® - 1.5m	21
FSI3935	Pro AL PFS6 170kg Ind Punchlock® - 1.8m	21
FSI3936	Pro AL PFS7 170kg Ind Punchlock® - 2.1m	21
FSI3937	Pro AL PFS8 170kg Ind Punchlock® - 2.4m	21
FSI3945	Pro FG PFS2 170kg Ind Punchlock® - 0.6m	23
FSI3946	Pro FG PFS3 170kg Ind Punchlock® - 0.9m	23
FSI3947	Pro FG PFS4 170kg Ind Punchlock® - 1.2m	23
FSI3948	Pro FG PFS5 170kg Ind Punchlock® - 1.5m	23
FSI3949	Pro FG PFS6 170kg Ind Punchlock® - 1.8m	23
FSI3950	Pro FG PFS7 170kg Ind Punchlock® - 2.1m	23
FSI3951	Pro FG PFS8 170kg Ind Punchlock® - 2.4m	23
FSI3952	PFS Safety Gate Kit (suits Bailey Adjustable Height Platform, Pro-Punchlock® & P150 models)	24
FSI3953	PFS Safety Gate Kit (Ext & Ladderweld)	24
FSI3954	PFS Safety Gate Kit (P170 AL & FG)	24
FSI3957	Pro AL Leansafe 6 150kg Ind Punchlock® - 1.8m	8
FSI3959	Pro AL Leansafe 8 150kg Ind Punchlock® - 2.4m	8
FSI3960	Pro AL Double Sided 3 150kg Ind Punchlock® - 0.9m	10
FSI3961	Pro AL Double Sided 4 150kg Ind Punchlock® - 1.2m	10
FSI3963	Pro AL Double Sided 6 150kg Ind Punchlock® - 1.8m	10
FSI3965	Pro AL Double Sided 8 150kg Ind Punchlock® - 2.4m	10
FSI3966	Pro AL Big Top Double Sided 3 150kg Ind Punchlock® - 0.9m	9
FSI3967	Pro AL Big Top Double Sided 4 150kg Ind Punchlock® - 1.2m	9
FSI3972	Pro FG Punchlock® Lean Safe 6 150kg Ind - 1.8m	8
FSI3973	Pro FG Punchlock® Lean Safe 7 150kg Ind - 2.1m	8
FSI3974	Pro FG Punchlock® Lean Safe 8 150kg Ind - 2.4m	8
FSI3975	Pro FG Punchlock® Lean Safe 10 150kg Ind - 3.0m	8
FSI3976	Pro FG Punchlock® Lean Safe 12 150kg Ind - 3.6m	8
FSI3977	Pro FG Double Sided 3 150kg Ind Punchlock® - 0.9m	10
FSI3978	Pro FG Double Sided 4 150kg Ind Punchlock® - 1.2m	10
FSI3980	Pro FG Double Sided 6 150kg Ind Punchlock® - 1.8m	10
FSI3981	Pro FG Double Sided 7 150kg Ind Punchlock® - 2.1m	10
FSI3982	Pro FG Double Sided 8 150kg Ind Punchlock® - 2.4m	10
FSI3983	Pro FG Double Sided 10 150kg Ind Punchlock® - 3.0m	10
FSI3984	Pro FG Double Sided 12 150kg Ind Punchlock® - 3.6m	10
FSI3985	Pro FG Step Extension 6 150kg Ind Punchlock® (1.8m/3.2m)	15
FSI3986	Pro FG Step Extension 7 150kg Ind Punchlock® (2.1m/3.8m)	15
FSI3987	Pro FG Step Extension 8 150kg Ind Punchlock® (2.4m/4.1m)	15

Product Number	Product Description	Page
FS13988	Pro AL Dual Purpose 6 150kg Ind Punchlock® - 1.8m/3.2m	14
FS13989	Pro AL Dual Purpose 7 150kg Ind Punchlock® - 2.1m/3.8m	14
FS13990	Pro AL Dual Purpose 8 150kg Ind Punchlock® - 2.4m/4.4m	14
FS13991	Castor Kit (White) - AL Pro 2-5/FG Pro 2-3/ Extreme 2-6	24
FS13992	Castor Kit (Yellow) - AL Pro 6-7/FG Pro 4-6/ Extreme 7	24
FS13993	Castor Kit (Green) - AL Pro 8/FG Pro 7-8/ Extreme 8	24
FS13999	Adjustable Height Platform Step Ladder 3-6 170kg Ind	20
FS14000	Extension Ladder Step Thru Safety Device	16
FS14040	AL Twin Platform Industrial Stepstool 3 step	25
FS14041	AL Twin Platform Industrial Stepstool 4 step	25
FS14042	FG Twin Platform Industrial Stepstool 3 step	25
FS14043	FG Twin Platform Industrial Stepstool 4 step	25
FS14066	HD AL P150-3 150kg Ind Riveted - 0.9m	22
FS14067	HD AL P150-4 150kg Ind Riveted - 1.2m	22
FS14068	HD AL P150-5 150kg Ind Riveted - 1.5m	22
FS14069	HD AL P150-6 150kg Ind Riveted - 1.8m	22
FS14070	HD FG P150-3 150kg Ind Riveted - 0.9m	24
FS14071	HD FG P150-4 150kg Ind Riveted - 1.2m	24
FS14072	HD FG P150-5 150kg Ind Riveted - 1.5m	24
FS14073	HD FG P150-6 150kg Ind Riveted - 1.8m	24



# BAILEY®

# WERNER®

# ladderspares.com.au

FINALLY, WE MADE FINDING 'LADDER SPARE PARTS' EASY!

TO IDENTIFY WHICH SPARES ARE AVAILABLE, SIMPLY LOGIN TO [WWW.LADDERSPARES.COM.AU](http://WWW.LADDERSPARES.COM.AU) AND FOLLOW THE PROMPTS.



**SCAN TO VISIT  
OUR NEW  
WEBSITE**

## HOW TO FIND SPARE PARTS

### Step 1

Scan this QR code using your smart phone or visit [www.ladderspares.com.au](http://www.ladderspares.com.au)

### Step 2

If you know the actual code of the ladder, enter this into the 'Enter Product Code' cell.

If you don't know the code, continue using the search criteria below this field.

### Step 3

Select the ladder brand.

### Step 4

Select the ladder type or design.  
For example, a double sided stepladder

### Step 5

What material is the ladder made from?  
For example, fibreglass or aluminium

### Step 6


Is the ladder riveted or Punchlock®?

### Step 7

What size is the ladder? Count the number of treads or rungs, Eg. 6 foot

### Step 8

Select the Load Rating of the ladder (100-170kg).





**FOR FURTHER INFORMATION,  
PLEASE CONTACT OUR CUSTOMER  
CARE CENTRE 1300 760 717**

**BAILEYLADDERS.COM.AU**

Orders: [AUS.Orders@wernerco.com](mailto:AUS.Orders@wernerco.com)

Claims: [AUS.RMA@wernerco.com](mailto:AUS.RMA@wernerco.com)

General Enquiries: [AUS.CustomerCare@wernerco.com](mailto:AUS.CustomerCare@wernerco.com)



**WERNERCO™**

**WernerCo Australia Pty Ltd** A.B.N. 88 151 127 061

All details in this brochure are correct at time of printing.

WernerCo Australia reserves the right to alter product specifications at any time without notice.

Doc No. DOC23.0012 ©2023 Werner Co.